

ADV 2020 Fire Drill

-- 2020/9/14



ADV NEWS

Vacuum brazing furnace Routine Maintenance




Changzhou was hot and humid in this third quarter, and also rained heavily very often. This season is the time when the vacuum brazing furnace has the highest rate of unqualified brazing. In order to improve product quality and increase the qualified rate of brazing, ADV has carried out annual maintenance on all 6 vacuum brazing furnaces.

From the cleaning and installation of the heating chamber to the polishing and cleaning of the furnace body, from the vacuum unit pipeline cleaning to the furnace body leak detection...every link has been maintained.

Not only this annual maintenance, we also have

monthly maintenance, weekly maintenance and daily maintenance. Burning the empty furnace once a month, check and reinforce the heating belt every week, and check the flow of the pipeline daily...

Sincerely hope that ADV customers receive better quality, longer service life and more reliable radiators, we believe ADV will not let you down!



ADV 2020 Safety First Aid Drill

— 2020/9/14



Use and Maintenance of Radiators


Do you know how to use ADV radiators more efficient after you received them? Please pay attention to the 8 points below.


1. Please keep the radiator clean to avoid blocking.
2. The radiator should not be close with any acid, alkali or other corrosive properties.
3. It is recommended to use the water which after softening treatment to avoid the blockage and the generation of scale.
4. If you need to use the antifreeze, please be sure to use a long-term anti-rust antifreeze which meet the standards, in order to avoid corrosion of the radiator.
5. During the installation, please do not damage the fins or bump the radiator to ensure the heat dissipation capacity and sealing.
6. In winter, in order to prevent the core from rupturing due to freezing, it is recommended to let all the water out if the radiator will not use for a long time.
7. If there are some spare radiators, please stored them in a ventilated and dry environment.
8. Depending on the actual situation, it is recommended to clean the core of the radiator completely within 3 months.

ADV insists on people-oriented and safe production.

From the initial fire fighting and control to the evacuation of personnel, and the rescue exercise for the wounded, everyone took it seriously.

This fire-fighting and first-aid drill has improved everyone's fire-fighting, evacuation and self-rescue capabilities, and enhanced the fire safety awareness.





ADV new Fin Forming Machine:

- * high speed
- * 146 times/per minute
- * fin width 460mm
- * automatic counting and cutting



Reliable



Performance

